

SECTION - 1

SAFETY DATA SHEET

PBS Boot Sealant Revision Date 10/22/2015

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME PBS Boot Sealant ITEM PBS

PRODUCT USE Boot Sealant

COMPANY NAME Jet Stream Aviation Products Office (972) 542-2400

1971 University Business Dr. Suite 102 Fax (972) 542-0238

McKinney Tx 75071 Web www.jetstreamproducts.com

EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2B; REPRODUCTIVE-Category 2



Reproductive Toxicity

WARNING Causes eye irritation, Suspected of damaging fertility or the unborn child

May be harmful if swallowed, Avoid eye or skin contact, Use personal protective equipment as required, Wash thoroughly with soap and water after handling, Avoid release into the environment

SECTION – 3	COMPOSITION INFORMATION	(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)						
CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS#	<u>IMPURITIES</u>	PERCENT				
Acrylic Co-polymer		62180-77-2		10 - 30%				
Glycol Ether DM	Diethylene Glycol Monomethyl Ether	111-77-3		1 - 10%				

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at several minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with soap and water, Remove contaminated shoes or clothing and wash before reuse, If irritation occurs or

persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious give one to two glasses of water to dilute and obtain

immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, redness, tearing, or pain

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, or pain

Skin May cause skin irritation, redness, drying or cracking

Inhalation Mist, vapor or fumes may cause, irritation to respiratory tract

Ingestion May be harmful if swallowed. May cause irritation, of the mouth, throat, and esophagus. May affect target organs

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide

Reactive With Reactive with, strong oxidizing agents

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION - 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment
Use rags or towels to prevent spill from spreading, Prevent spill from entering the environment
Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal
Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Keep away from incompatible materials, Use appropriate safety equipment, and adequate ventilation, Avoid eye

and skin contact, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the

environment

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials, Stored above 4.4°C (40°F) and below 49°C (120°F)

Incompatible Materials Incompatible with, strong oxidizing agents

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Acrylic Co-polymer	None Established				
Glycol Ether DM	10 ppm (50.1 mg/m³)				SI,SA

PERSONAL PROTECTIVE EQUIPMENT








Impervious Chemical Gloves



Eye Wash (Recommended)



HMIS HAZARD RATINGS

HINIS HAZAKU	KATINGS
Health	1
Flammability	0
Reactivity	0
rsonal Protection	В

SECTION - 9 PH	YSICAL AND CHEMICAL PROPERTIES		
Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.01
Flammable Limits	ND	pH (± 0.3)	8.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	ND
Appearance	Milky white	Boiling Point	ND
Odor	Mild	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 75%	Partition Coefficient	ND
VOC	< 5%	Molecular Weight (g/mol)	ND
LVP-VOC	0%	Decomposition Temperature	ND
OFOTION 40 OT	FARILITY AND DEACTIVITY		

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored above 4.4°C (40°F) and below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials, Freezing temperatures Incompatible Materials Incompatible with, strong oxidizing agents

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, redness, tearing, or pain

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, or pain

Skin May cause skin irritation, redness, drying or cracking

Inhalation Mist, vapor or fumes may cause, irritation to respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, May affect target organs

Acute Tox Calculated Oral: > 5,000 mg/kg Dermal: > 5,000 mg/kg Inhaled: > 50.0 mg/L

Acute Tox Category No Data or NA (Oral >5000 mg/kg), No Data or NA (Dermal > 5000 mg/kg), No Data or NA (Inhaled >50 mg/L) Vapors

Additional Info

Target Organs Kidneys, Liver, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, liver, kidney, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

Glycol Ether DM 2 (Suspected of damaging fertility or the unborn child)

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME Result Value Exposure Time GHS Category Type Form Subject Glycol Ether DM LD50 Oral Rat 7.128 ma/ka (>2000 mg/kg) 9,404 mg/kg (>2000 mg/kg) Rabbit LD50 Dermal

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Glycol Ether DM	LC50	Bluegill (Lepomis macrochirus)	7,500 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Green Algae (Selenastrum capricorn)	> 1,000 mg/l	96 Hours	4 (>100 mg/L)
	EC50	Water Flea (Daphnia magna)	1,192 mg/l	48 Hours	4 (>100 mg/L)

Presistence And Degradability This product is readily biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In SoilThis material is a mobile liquidOther Adverse EffectsMay be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard Class Packing Group Label Codes Reportable Quantity (lbs) Response Marine Pollutant Hazard Label Secondary

None None None 154 No

ruge + or o				1 03 000	JL JE	aiaiit				170	evision De	216	10/22/2013
SECTION – 15 REGULAT	ORY INFORMATION	NC											
<u>TSCA</u>													
CHEMICAL NAME	Sec 8(b)	Inventory	S	ec 8(d) Hea	lth A	nd Safety	Se	c 4(a) Chemi	ical Test R	ules	Sec 12(b) Export	t Notification
Acrylic Co-polymer	Y	es											
Glycol Ether DM	Y	es											
REPORTABLE QUANTITIES	-	Extremely	Hazardou	s		Reportable Q	uantity	Emission I	Reporting				
CHEMICAL NAME	EPCRA TP	Q Sec 302	2 EPCRA	RQ Sec 30)4	CERCLA RQ	Sec 103	TRI Se	c 313	RCI	RA Code	RMP	TQ Sec 112
Glycol Ether								Υe	es				
SARA	Se	ection 31	1				Section	on 311 / 31	2 Hazard	ls		-	
CHEMICAL NAME	Hazaro	dous Che	emical	Ac	cute	С	hronic	Flar	mmable	ſ	Pressure		Reactive
Acrylic Co-polymer		Yes		Y	'es								
Glycol Ether DM		Yes					Yes		Yes				
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Glycol Ether DM						Yes		Yes			Yes		
CALIFORNIA			WARNI	NG! This	prod	luct contain	s chem	icals knov	vn to the	state o	of Califorr	nia to c	ause:
CHEMICAL NAME	CAS#		Birth D	efects		Reproduct	ive Har	m	Carcino	gen	0	evelop	omental
None Listed													
CLEAN AIR WATER ACTS			Clean	Air Acts					С	lean W	ater Acts		
CHEMICAL NAME	CAS#		HAP	C	Ozon	e Class 1	Ozor	ne Class 2	Н	IS	PP		TP
None Listed													
INTERNATIONAL REGULATION	IS - The compo	nents of	this prod	uct are list	ted o	n the chemi	cal inver	ntories of th	ne followii	ng cour	ntries:		
CHEMICAL NAME	Austr	Australia		Canada E		Europe (EINECS)		Japan		Korea			UK
Glycol Ether DM	Ye	Yes		Yes		Yes		Yes		Yes			Yes
WHMIS Classification		-	·	-					-	-			
CHEMICAL NAME		DSL	Class	Descrip	tion								
Glycol Ether DM		Yes	D-2A	Materia	als C	ausing Oth	er Tox	ic Effects;	Very To	oxic Ma	aterial		

SECTION - 16 **OTHER INFORMATION LEGEND DESCRIPTION** ACGIH American Conference of Governmental Industrial Hygienists LC50 A concentration that is lethal to 50% of a given species in a given time CAS Chemical Abstracts Service Registry LD50 Dose that is lethal to 50% of a given species by a given route of exposure Ceiling Limit (15 minutes) Lower Explosive Limit CEIL LEL CERCL Comprehensive Environmental Response, Compensation, and Liability Act LD Liver Damage CI Cochlear Impairment ΝΔ Not Applicable CNS Central Nervous System ND Not Determined EC50 Concentration of a chemical that gives half-maximal response NFPA National Fire Protection Association NIOSH **EPA** Environmental Protection Agency National Institute for Occupational Safety and Health (EI = Irritation) (ED = Damage) (EV = Visual Impairment) NE Eve Not Established Full Bunker Gear NTP **FBG** National Toxicology Program Globally Harmonized System Occupational Safety and Health Administration GHS **OSHA** HAP California Hazardous air pollutant Clean Air Act **PEL** Permissible Exposure Limit (OSHA) HMIS-A Safety Glasses **PNS** Peripheral Nervous System HMIS-B Safety glasses, gloves PP California Priority Pollutant under the Clean Water Act HMIS-C Safety glasses, gloves, chemical apron REL Recommended exposure limit (NIOSH) RT HMIS-D Face shield, gloves, chemical apron Upper Respiratory Tract (SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer) HMIS-E Safety glasses, gloves, dust respirator Skin HMIS-F Safety glasses, gloves, chemical apron, dust respirator SARA Superfund Amendments and Reauthorization Act HMIS-G Safety glasses, gloves, vapor respirator STEL Short Term Exposure Limit (15 minutes) TC Lo HMIS-H Splash goggles, gloves, chemical apron, vapor respirator Lowest concentration that is toxic to a given species in a given time HMIS-I Safety glasses, gloves, dust and vapor respirator TDIo Lowest dose that is toxic to a given species HMIS-J Splash goggles, gloves, chemical apron, dust and vapor respirator TLV Threshold Limit Value (ACGIH) HMIS-K Air line hood or mask, gloves, full chemical suit, boots TP California Toxic Pollutant under the Clean Water Act **TSCA** HMIS-X Ask Supervisor Toxic Substances Control Act HS California Hazardous Substance under the Clean Water Act **TWA** Time Weighted Average (8 hours)

Jet Stream Aviation Products

Kidney Damage (nephropathy)

KD

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

UEL

Upper Explosive Limit

Print Date 11/2/2015

Supersedes Safety Data Sheet Dated