

SECTION - 1

# **SAFETY DATA SHEET**

Ultra-Magnum Revision Date 10/21/2015

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Ultra-Magnum ITEM UM

PRODUCT USE Biodegradable, Exterior Wash Concentrate

COMPANY NAME Jet Stream Aviation Products Office (972) 542-2400

1971 University Business Dr. Suite 102 Fax (972) 542-0238

McKinney Tx 75071 Web www.jetstreamproducts.com

**EMERGENCY TELEPHONE NUMBER** INFOTRAC (800) 535-5053

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 1; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3



Eye Damage

DANGER Causes serious eye damage, Causes skin irritation, May cause respiratory irritation

May be harmful if swallowed, Do not get in eyes, on skin, or clothing, and avoid inhalation of mist, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION - 3 **COMPOSITION INFORMATION** (Exact percentage of the listed chemicals of composition has been withheld as a trade secret) **CHEMICAL NAME COMMON NAME AND SYNONYMS** CAS# **IMPURITIES PERCENT** 2-butoxyethanol Ethylene Glycol Monobutyl Ether 111-76-2 1 - 5% Sodium Metasilicate Pentahydrate Disodium Trioxosilicate 10213-79-3 1 - 5%

SECTION – 4 FIRST AID MEASURES

**EYE CONTACT** Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids. Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain immediate

medical attention, preferably from an ophthalmologist

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists obtain medical attention

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious give one to two glasses of water to dilute and obtain

immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not applicable

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

Eyes Can cause serious eye irritation, redness, tearing, pain, or possible eye damage

**Skin** Can cause skin irritation, redness, drying or cracking

Inhalation Mist may cause mild irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, Can cause irritation, burning in the mouth, throat, esophagus, and may affect target

organs

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, severe pain, or possible corneal injury

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis

**Inhalation** Mist may cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, esophagus, stomach, and may affect target

organs

SECTION – 5 FIRE FIGHTING MEASURES

**Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Incompatible with, strong oxidizing agents, strong acids

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

#### SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Ventilate area, Avoid slipping on spilled product
Protective Equipment Safety Glasses, Chemical Gloves and Rubber Boots

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container

Vacuum or sweep up material and place in a disposal container

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

# SECTION – 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist, May cause respiratory

irritation, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use. Store away from incompatible

materials


Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

#### SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Sodium Metasilicate Pentahydrate	None Established				
2-butoxyethanol	20 ppm		50 ppm (240 mg/m³)		SA

# PERSONAL PROTECTIVE EQUIPMENT







Impervious Chemical Gloves



Eye Wash (Recommended)



**Ventilation** 

General Ventilation

If exposure limits listed above are exceeded, or irritation is experienced, use a MSHA / NIOSH approved respirator

# **HMIS HAZARD RATINGS**

Health 2
Flammability 0
Reactivity 0
Personal Protection B

SECTION - 9	PHYSICAL AND CHEMICAL PROPERTIES
-------------	----------------------------------

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.02
Flammable Limits	NA	pH (± 0.3)	12.7
Auto-Ignition Temp.	NA	Viscosity	ND
Physical State	Liquid	Freeze Point	ND
Appearance	Clear Yellow	Boiling Point	ND
Odor	Citrus	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 92%	Partition Coefficient	ND
VOC	< 1.8%	Molecular Weight (g/mol)	~52.25
LVP-VOC	0%	Decomposition Temperature	ND

#### SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

# SECTION – 11 TOXICOLOGICAL INFORMATION

#### **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

# ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, pain, or possible eye damage

**Skin** Can cause skin irritation, redness, drying or cracking

Inhalation Mist may cause mild irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, Can cause irritation, burning in the mouth, throat, esophagus, and may affect target

organs

#### CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, severe pain, or possible corneal injury

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Mist may cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, esophagus, stomach, and may affect target

organs

Acute Tox Calculated Oral: 7,160 mg/kg Dermal: 31,328 mg/kg Inhaled: 144.1 mg/L

Acute Tox Category No Data or NA (Oral >5000 mg/kg), No Data or NA (Dermal > 5000 mg/kg), No Data or NA (Inhaled >12.5 mg/L) Dust or Mist

**Additional Info** 

Target Organs Blood, Kidneys, Liver, Respiratory Tract, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, liver, kidney, blood, respiratory, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

# **CARCINOGENIC – This product contains concentrations above 0.1% of the following:**

CHEMICAL NAMENTPACGIHIARCGHS CategoryNone ListedNANANANA

#### MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

#### **COMPONENTS ACUTE TOXICITY**

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	<b>GHS Category</b>
Sodium Metasilicate Pentahydrate	LD50	Oral	Rat	847 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Rat	Dermal	> 5000 mg/kg		(>2000 mg/kg)
2-butoxyethanol	LD50	Oral	Rat	530 mg/kg		4 (>300, ≤2000 mg/kg)
	LC50	Inhaled	Rat	2.17 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Guinea Pig	1650 mg/kg		4 (>1000, ≤2000 mg/kg)

SECTION - 12	ECOLOGICAL INFORMATION

CHEMICAL NAME	<u>Type</u>	<u>Subject</u>	Subject Latin	Result Value	Exposure Time	<b>GHS Category</b>
Sodium Metasilicate Pentahydrate	LC50	Zebrafish	(Brachydanio rerio)	210 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	1700 mg/L	48 Hours	4 (>100 mg/L)
2-butoxyethanol	EC50	Water Flea	(Daphnia magna)	1,815 mg/L	24 Hours	4 (>100 mg/L)
	LC50	Blueaill	(Lepomis macrochirus)	220 ma/L	96 Hours	4 (>100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential No data available

Mobility In Soil No data available

Other Adverse Effects May be harmful to aquatic life

# SECTION – 13 DISPOSAL CONSIDERATIONS

# DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

#### **ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

# SECTION – 14 TRANSPORT INFORMATION

# **DOT CLASSIFICATION**

UN Number Proper Shipping Name n.o.s. (Chemicals ) or "Limits"

Not Regulated Non Hazardous – Compounds Cleaning Liquid

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lbs)</u> <u>Response</u> <u>Marine Pollutant</u> <u>Hazard Label</u> <u>Secondary</u>

None None None 154 No

SECTION – 15 REGULATORY IN	IFORMATI	ON											
TSCA													
CHEMICAL NAME	Sec 8(b)	Inventory	, 5	Sec 8(d)	Health A	and Safety	S	ec 4(a) Che	mical Test F	Rules	Sec 12(I	o) Expor	t Notificatio
Sodium Metasilicate Pentahydrate	Y	es											
2-butoxyethanol	Y	es			Yes								
REPORTABLE QUANTITIES		Extremely	/ Hazardou	IS		Reportable	Quantity	Emissio	n Reporting				
CHEMICAL NAME	EPCRA TE	Q Sec 30	2 EPCR	A RQ Se	c 304	CERCLA RO	Q Sec 103	TRI	Sec 313	RC	RA Code	RMF	P TQ Sec 112
Glycol Ethers								`	res .				
SARA	Se	ection 31	11				Secti	on 311 / 3	312 Hazar	ds			
CHEMICAL NAME	Hazar	dous Ch	emical		Acute	!	Chronic	FI	ammable	I	Pressure		Reactive
Sodium Metasilicate Pentahydrate		Yes			Yes								
2-butoxyethanol		Yes			Yes		Yes		Yes				
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Sodium Metasilicate Pentahydrate						Yes		Yes					
2-butoxyethanol						Yes		Yes			Yes		
<u>CALIFORNIA</u>			WARN	ING! TI	nis pro	duct conta	ins chen	nicals kno	own to the	state	of Califori	nia to d	ause:
CHEMICAL NAME	CAS#		Birth D	Defects	;	Reprodu	ctive Ha	rm	Carcino	gen		Develo	pmental
None Listed													
CLEAN AIR WATER ACTS			Clear	Air A	cts				(	lean W	ater Acts		
CHEMICAL NAME	CAS#		HAP		Ozoı	ne Class 1	Ozo	ne Class	2 I	lS	PP		TP
None Listed													
INTERNATIONAL REGULATIONS -	The compo	nents of	this proc	luct are	listed o	on the cher	nical inve	ntories of	the followi	ng cour	ntries:		
CHEMICAL NAME	Aust	alia	C	anada	E	urope (Ell	NECS)	Japa	ın	K	orea		UK
2-butoxyethanol	Ye	s		Yes		Yes		Yes	6	Υ	'es		Yes
WHMIS Classification			·		<u> </u>	·	·	·		<u> </u>	·		·
CHEMICAL NAME		DSL	Class	Des	cription	1							
2-butoxyethanol		Yes	D-2B	Mat	erials (	Causing C	ther Tox	cic Effect	s; Toxic N	/lateria	I		

#### SECTION - 16 **OTHER INFORMATION LEGEND DESCRIPTION** ACGIH American Conference of Governmental Industrial Hygienists LC50 A concentration that is lethal to 50% of a given species in a given time CAS Chemical Abstracts Service Registry LD50 Dose that is lethal to 50% of a given species by a given route of exposure Ceiling Limit (15 minutes) Lower Explosive Limit CEIL LEL CERCL Comprehensive Environmental Response, Compensation, and Liability Act LD Liver Damage CI Cochlear Impairment ΝΔ Not Applicable CNS Central Nervous System ND Not Determined EC50 Concentration of a chemical that gives half-maximal response NFPA National Fire Protection Association NIOSH **EPA Environmental Protection Agency** National Institute for Occupational Safety and Health (EI = Irritation) (ED = Damage) (EV = Visual Impairment) NE Eve Not Established NTP Full Bunker Gear **FBG** National Toxicology Program Globally Harmonized System Occupational Safety and Health Administration GHS **OSHA** HAP California Hazardous air pollutant Clean Air Act **PEL** Permissible Exposure Limit (OSHA) HMIS-A Safety Glasses **PNS** Peripheral Nervous System HMIS-B Safety glasses, gloves PP California Priority Pollutant under the Clean Water Act HMIS-C Safety glasses, gloves, chemical apron REL Recommended exposure limit (NIOSH) RT HMIS-D Face shield, gloves, chemical apron Upper Respiratory Tract (SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer) HMIS-E Safety glasses, gloves, dust respirator Skin HMIS-F Safety glasses, gloves, chemical apron, dust respirator SARA Superfund Amendments and Reauthorization Act HMIS-G Safety glasses, gloves, vapor respirator STEL Short Term Exposure Limit (15 minutes) HMIS-H Splash goggles, gloves, chemical apron, vapor respirator TC Lo Lowest concentration that is toxic to a given species in a given time HMIS-I Safety glasses, gloves, dust and vapor respirator TDIo Lowest dose that is toxic to a given species HMIS-J Splash goggles, gloves, chemical apron, dust and vapor respirator TLV Threshold Limit Value (ACGIH) HMIS-K Air line hood or mask, gloves, full chemical suit, boots TP California Toxic Pollutant under the Clean Water Act **TSCA** HMIS-X Ask Supervisor Toxic Substances Control Act HS California Hazardous Substance under the Clean Water Act **TWA** Time Weighted Average (8 hours)

#### **Jet Stream Aviation Products**

Kidney Damage (nephropathy)

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

UEL

Upper Explosive Limit

Print Date 11/2/2015

KD

**Supersedes Safety Data Sheet Dated**