

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 08/23/2022

Revision date: 04/01/2021

Version: 1.4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.  
Product code : SPX19WHT-838

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Glass Cleaner

#### 1.3. Details of the supplier of the safety data sheet

Jet Stream Aviation Products  
1971 University Business Dr.  
McKinney, Tx 75071  
T 972.542.2400  
[www.jetstreamproducts.com](http://www.jetstreamproducts.com)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Gases under pressure Compressed gas H280 Contains gas under pressure; may explode if heated

Full text of H- and EUH-statements: see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

H280 - Contains gas under pressure; may explode if heated

Precautionary statements (GHS US) :

P410+P403 - Protect from sunlight. Store in a well-ventilated place.  
P412 - Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### 2.3. Other hazards

Other hazards which do not result in classification

: Contains gas under pressure; may explode if heated. None under normal conditions.

#### 2.4. Unknown acute toxicity (GHS US)

No data available

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Water	(CAS-No.) 7732-18-5	85 – 95	Not classified
Ethanol	(CAS-No.) 64-17-5	1 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Petroleum Gases, Liquefied, Sweetened	(CAS-No.) 68476-86-8	1 – 5	Flam. Gas 1, H220 Press. Gas (Comp.), H280
1-Butoxy-2-Propanol	(CAS-No.) 5131-66-8	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Triethanolamine	(CAS-No.) 102-71-6	< 1	Not classified
DETERIC LP		< 1	Eye Dam. 1, H318
Methyl 2-Aminobenzoate	(CAS-No.) 134-20-3	0.012 – 0.016	Not classified

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Benzyl Alcohol	(CAS-No.) 100-51-6	0.004 – 0.008	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332
Linalol	(CAS-No.) 78-70-6	0.002 – 0.004	Flam. Liq. 4, H227
Benzyl Acetate	(CAS-No.) 140-11-4	0.001 – 0.002	Not classified
Alpha-Terpineol	(CAS-No.) 98-55-5	0 – 0.001	Flam. Liq. 4, H227
Coumarin	(CAS-No.) 91-64-5	0 – 0.001	Acute Tox. 4 (Oral), H302
Diethyl Phthalate	(CAS-No.) 84-66-2	0 – 0.001	Not classified
Diethanolamine	(CAS-No.) 111-42-2	0 – 0.001	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Carc. 2, H351 STOT RE 2, H373
Vanillin	(CAS-No.) 121-33-5	< 0	Not classified
Cedarwood Oil, Virginia	(CAS-No.) 8000-27-9	< 0	Not classified
Cinnamon Oils	(CAS-No.) 8015-91-6	< 0	Not classified
Diphenyl Oxide	(CAS-No.) 101-84-8	< 0	Not classified
4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone	(CAS-No.) 81-14-1	< 0	Carc. 2, H351
Phenylacetaldehyde	(CAS-No.) 122-78-1	< 0	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
Acetophenone	(CAS-No.) 98-86-2	< 0	Eye Irrit. 2, H319
White Spirit	(CAS-No.) 8052-41-3	< 0	Flam. Liq. 3, H226 Muta. 1B, H340 Carc. 1B, H350 STOT RE 1, H372 Asp. Tox. 1, H304
Benzaldehyde	(CAS-No.) 100-52-7	< 0	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor/physician.
- First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/effects after skin contact : May cause slight irritation . May cause moderate irritation. Itching. Red skin. Skin rash/inflammation.
- Symptoms/effects after eye contact : May cause slight irritation. May cause slight eye irritation . Inflammation/damage of the eye tissue. Irritation of the eye tissue. Redness of the eye tissue.
- Symptoms/effects after ingestion : May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other information : NFPA Aerosol Level 1.

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources.

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Dam up the liquid spill. Plug the leak, cut off the supply. Contain released product, collect/pump into suitable containers.

Methods for cleaning up : Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Remove contaminated clothes. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage area : Store in a well-ventilated place.

#### 7.3. Specific end use(s)

Follow Label Directions.

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.</b>	
No additional information available	
<b>Petroleum Gases, Liquefied, Sweetened (68476-86-8)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	1000 ppm Listed under Aliphatic hydrocarbon gases alkane C1-C4
<b>USA - OSHA - Occupational Exposure Limits</b>	
OSHA PEL (TWA) [1]	1800 mg/m <sup>3</sup>
OSHA PEL (TWA) [2]	1000 ppm
<b>USA - NIOSH - Occupational Exposure Limits</b>	
NIOSH REL (TWA)	1800 mg/m <sup>3</sup>
NIOSH REL TWA [ppm]	1000 ppm
<b>Water (7732-18-5)</b>	
No additional information available	
<b>Triethanolamine (102-71-6)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA	5 mg/m <sup>3</sup>
<b>Methyl 2-Aminobenzoate (134-20-3)</b>	
No additional information available	
<b>Diethanolamine (111-42-2)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA	1 mg/m <sup>3</sup> (Inhalable fraction and vapor)
<b>Linalol (78-70-6)</b>	
No additional information available	
<b>Benzyl Alcohol (100-51-6)</b>	
No additional information available	
<b>Benzyl Acetate (140-11-4)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	10 ppm
<b>Alpha-Terpineol (98-55-5)</b>	
No additional information available	
<b>Vanillin (121-33-5)</b>	
No additional information available	
<b>Coumarin (91-64-5)</b>	
No additional information available	
<b>Diethyl Phthalate (84-66-2)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA	5 mg/m <sup>3</sup>
<b>Cedarwood Oil, Virginia (8000-27-9)</b>	
No additional information available	
<b>Cinnamon Oils (8015-91-6)</b>	
No additional information available	
<b>Diphenyl Oxide (101-84-8)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	1 ppm (Vapor fraction)
ACGIH OEL STEL [ppm]	2 ppm (Vapor fraction)
<b>4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)</b>	
No additional information available	
<b>Phenylacetaldehyde (122-78-1)</b>	
No additional information available	
<b>Acetophenone (98-86-2)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	10 ppm

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>White Spirit (8052-41-3)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	100 ppm
<b>Benzaldehyde (100-52-7)</b>	
No additional information available	
<b>1-Butoxy-2-Propanol (5131-66-8)</b>	
No additional information available	
<b>DETERIC LP</b>	
No additional information available	
<b>Ethanol (64-17-5)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL STEL [ppm]	1000 ppm

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Local exhaust ventilation, vent hoods . Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Gloves. Safety glasses. Avoid all unnecessary exposure.

#### Materials for protective clothing:

Excellent resistance:

#### Hand protection:

Wear protective gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear appropriate mask

#### Personal protective equipment symbol(s):



#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Liquid.
Color	: Colourless to light yellow.
Odor	: Mild . Alcohol odour. Ammonia odour.
Odor threshold	: No data available
pH	: 9
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -31.1 °C (Lowest Component-Propellant)
Flash point	: -96.23 °C (Lowest Component-Propellant)

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.98
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

### 9.2. Other information

VOC content	: 9.9 %
-------------	---------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Triethanolamine (102-71-6)	
LD50 oral rat	6400 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))
ATE US (oral)	6400 mg/kg body weight
Methyl 2-Aminobenzoate (134-20-3)	
LD50 oral rat	2910 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	2910 mg/kg body weight
Diethanolamine (111-42-2)	
LD50 oral rat	1600 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
ATE US (oral)	1600 mg/kg body weight
Linalol (78-70-6)	
LD50 oral rat	2790 mg/kg (Rat)
LD50 dermal rat	5610 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Linalol (78-70-6)</b>	
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
<b>Benzyl Alcohol (100-51-6)</b>	
LD50 oral rat	1620 mg/kg bw/day (Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg (EPA OTS 798.1100, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 4.178 mg/l/4h (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
ATE US (oral)	1620 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
<b>Benzyl Acetate (140-11-4)</b>	
LD50 oral rat	> 2000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 15 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit, Experimental value, Dermal, 14 day(s))
<b>Alpha-Terpineol (98-55-5)</b>	
LD50 oral rat	4300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across)
ATE US (oral)	4300 mg/kg body weight
<b>Vanillin (121-33-5)</b>	
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	3300 mg/kg body weight
<b>Coumarin (91-64-5)</b>	
LD50 oral rat	300 – 900 mg/kg (Rat)
ATE US (oral)	300 mg/kg body weight
<b>Cedarwood Oil, Virginia (8000-27-9)</b>	
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
<b>Cinnamon Oils (8015-91-6)</b>	
LD50 oral rat	2650 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	2650 mg/kg body weight
<b>Diphenyl Oxide (101-84-8)</b>	
LD50 oral rat	2830 mg/kg body weight (Rat, Female, Oral)
LD50 dermal rabbit	> 7940 mg/kg body weight (24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	2830 mg/kg body weight
<b>4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)</b>	
LD50 oral rat	> 10000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Dermal)
<b>Phenylacetaldehyde (122-78-1)</b>	
LD50 oral rat	1550 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)
ATE US (oral)	1550 mg/kg body weight
<b>Acetophenone (98-86-2)</b>	
LD50 oral rat	2081 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 014 day(s))
LD50 dermal rat	3300 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	2081 mg/kg body weight
ATE US (dermal)	3300 mg/kg body weight
<b>Benzaldehyde (100-52-7)</b>	
ATE US (oral)	500 mg/kg body weight

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>1-Butoxy-2-Propanol (5131-66-8)</b>	
LD50 oral rat	3300 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	3300 mg/kg body weight

<b>Ethanol (64-17-5)</b>	
LD50 oral rat	10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 15800 mg/kg body weight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	125 mg/l/4h (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	10470 mg/kg body weight
ATE US (vapors)	125 mg/l/4h
ATE US (dust, mist)	125 mg/l/4h

Skin corrosion/irritation	: Not classified pH: 9
Serious eye damage/irritation	: Not classified pH: 9
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

<b>Triethanolamine (102-71-6)</b>	
IARC group	3 - Not classifiable

<b>Diethanolamine (111-42-2)</b>	
IARC group	2B - Possibly carcinogenic to humans

<b>Benzyl Acetate (140-11-4)</b>	
IARC group	3 - Not classifiable

<b>Coumarin (91-64-5)</b>	
IARC group	3 - Not classifiable

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

<b>Diethanolamine (111-42-2)</b>	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

<b>White Spirit (8052-41-3)</b>	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: May cause slight irritation . May cause moderate irritation. Itching. Red skin. Skin rash/inflammation.
Symptoms/effects after eye contact	: May cause slight irritation. May cause slight eye irritation . Inflammation/damage of the eye tissue. Irritation of the eye tissue. Redness of the eye tissue.
Symptoms/effects after ingestion	: May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Triethanolamine (102-71-6)</b>	
LC50 - Fish [1]	11800 mg/l (APHA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	609.88 mg/l (ASTM E1192, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value, Lethal)



# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Triethanolamine (102-71-6)</b>	
ErC50 algae	216 mg/l (DIN 38412-9, 72 h, Scenedesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
<b>Diethanolamine (111-42-2)</b>	
LC50 - Fish [1]	460 mg/l (96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	30.1 – 89.9 mg/l (ASTM E729-80, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	9.5 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
<b>Linalol (78-70-6)</b>	
EC50 - Crustacea [1]	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)
EC50 - Other aquatic organisms [1]	≥ 100 mg/l (3 h; Activated sludge)
LC50 - Fish [2]	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)
Threshold limit - Algae [1]	88.3 mg/l (EC50; 96 h)
<b>Benzyl Alcohol (100-51-6)</b>	
LC50 - Fish [1]	460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	230 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	770 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
<b>Benzyl Acetate (140-11-4)</b>	
LC50 - Fish [1]	4 mg/l (ASTM E729-80, 96 h, Oryzias latipes, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	17 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
<b>Vanillin (121-33-5)</b>	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
<b>Coumarin (91-64-5)</b>	
LC50 - Fish [1]	56 mg/l (LC50; 96 h)
EC50 - Crustacea [1]	135 mg/l (EC50; 48 h)
<b>Diethyl Phthalate (84-66-2)</b>	
LC50 - Fish [1]	12 mg/l (EPA 660/3 - 75/009, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value)
ErC50 algae	45 mg/l (Equivalent or similar to OECD 201, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
<b>Diphenyl Oxide (101-84-8)</b>	
LC50 - Fish [1]	4.2 mg/l (EPA 660/3 - 75/009, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	1.96 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.58 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
<b>4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)</b>	
LC50 - Fish [1]	> 0.5 mg/l (504 h, Salmo gairdneri, Flow-through system)
EC50 - Crustacea [1]	> 0.46 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
<b>Phenylacetaldehyde (122-78-1)</b>	
LC50 - Fish [1]	> 6.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	20 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
<b>Acetophenone (98-86-2)</b>	
LC50 - Fish [1]	162 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Acetophenone (98-86-2)</b>	
ErC50 algae	86.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
<b>Benzaldehyde (100-52-7)</b>	
LC50 - Fish [1]	12.4 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	50 mg/l (24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
<b>1-Butoxy-2-Propanol (5131-66-8)</b>	
LC50 - Fish [1]	560 – 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
<b>Ethanol (64-17-5)</b>	
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)

### 12.2. Persistence and degradability

<b>JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.</b>	
Persistence and degradability	Not established.
<b>Petroleum Gases, Liquefied, Sweetened (68476-86-8)</b>	
Persistence and degradability	Not established.
<b>Water (7732-18-5)</b>	
Persistence and degradability	Not established.
<b>Triethanolamine (102-71-6)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water. Not established.
Biochemical oxygen demand (BOD)	0.02 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.5 g O <sub>2</sub> /g substance
ThOD	2.04 g O <sub>2</sub> /g substance
<b>Methyl 2-Aminobenzoate (134-20-3)</b>	
Persistence and degradability	Not established.
<b>Diethanolamine (111-42-2)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.22 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.52 g O <sub>2</sub> /g substance
ThOD	2.13 g O <sub>2</sub> /g substance
<b>Linalol (78-70-6)</b>	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.531 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.808 g O <sub>2</sub> /g substance
<b>Benzyl Alcohol (100-51-6)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water. Not established.
<b>Benzyl Acetate (140-11-4)</b>	
Persistence and degradability	Readily biodegradable in water. Not established.
<b>Alpha-Terpineol (98-55-5)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water. Not established.
ThOD	2.9 g O <sub>2</sub> /g substance
<b>Vanillin (121-33-5)</b>	
Persistence and degradability	Readily biodegradable in water. Not established.
<b>Coumarin (91-64-5)</b>	
Persistence and degradability	Readily biodegradable in water. Photolysis in the air.
<b>Diethyl Phthalate (84-66-2)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water. Not established.
<b>Cedarwood Oil, Virginia (8000-27-9)</b>	
Persistence and degradability	Not established.

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Cinnamon Oils (8015-91-6)</b>	
Persistence and degradability	Not established.
<b>Diphenyl Oxide (101-84-8)</b>	
Persistence and degradability	Readily biodegradable in water. Not established.
Biochemical oxygen demand (BOD)	1.68 – 2 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.19 – 2.5 g O <sub>2</sub> /g substance
ThOD	2.63 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.72
<b>4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)</b>	
Persistence and degradability	Not readily biodegradable in water. Not established.
<b>Phenylacetaldehyde (122-78-1)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>Acetophenone (98-86-2)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water. Not established.
Biochemical oxygen demand (BOD)	0.518 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.532 g O <sub>2</sub> /g substance
ThOD	2.532 g O <sub>2</sub> /g substance
<b>White Spirit (8052-41-3)</b>	
Persistence and degradability	Not established.
<b>Benzaldehyde (100-52-7)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water. Not established.
Biochemical oxygen demand (BOD)	1.62 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.98 g O <sub>2</sub> /g substance
ThOD	2.42 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.67
<b>1-Butoxy-2-Propanol (5131-66-8)</b>	
Persistence and degradability	Readily biodegradable in water. Not established.
<b>Ethanol (64-17-5)</b>	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. Not established.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.43
<b>12.3. Bioaccumulative potential</b>	
<b>JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.</b>	
Bioaccumulative potential	Not established.
<b>Petroleum Gases, Liquefied, Sweetened (68476-86-8)</b>	
Bioaccumulative potential	Not established.
<b>Water (7732-18-5)</b>	
Bioaccumulative potential	Not established.
<b>Triethanolamine (102-71-6)</b>	
BCF - Fish [1]	0.4 – 3.9 l/kg (Equivalent or similar to OECD 305, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	-1.9 (Weight of evidence approach, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Not established.
<b>Methyl 2-Aminobenzoate (134-20-3)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.17 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>Diethanolamine (111-42-2)</b>	
BCF - Fish [1]	3.162 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-2.18 – -1.43 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Linalol (78-70-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.145
Bioaccumulative potential	Bioaccumable.
<b>Benzyl Alcohol (100-51-6)</b>	
BCF - Fish [1]	1.37 l/kg (BCFBFAF v3.01, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	1 – 1.1 (Experimental value, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>Benzyl Acetate (140-11-4)</b>	
BCF - Fish [1]	8 (Pisces, Flow-through system, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	1.96 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>Alpha-Terpineol (98-55-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.57 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>Vanillin (121-33-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>Coumarin (91-64-5)</b>	
BCF - Fish [1]	< 10 (BCF; 72 h)
BCF - Other aquatic organisms [1]	42 (BCF; 24 h; Chlorella sp.)
Partition coefficient n-octanol/water (Log Pow)	1.39
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>Diethyl Phthalate (84-66-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 40 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>Cedarwood Oil, Virginia (8000-27-9)</b>	
Bioaccumulative potential	No test data of component(s) available. Not established.
<b>Cinnamon Oils (8015-91-6)</b>	
Bioaccumulative potential	No test data of component(s) available. Not established.
<b>Diphenyl Oxide (101-84-8)</b>	
BCF - Fish [1]	155 – 200 (4 day(s), Oncorhynchus mykiss, Fresh water, Experimental value, Muscles)
Partition coefficient n-octanol/water (Log Pow)	4.21 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Not established.
<b>4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)</b>	
BCF - Fish [1]	1380 (831 h, Salmo gairdneri)
Partition coefficient n-octanol/water (Log Pow)	4.3 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000). Not established.
<b>Phenylacetaldehyde (122-78-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.44 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>Acetophenone (98-86-2)</b>	
BCF - Fish [1]	0.475 (BCFWIN, Pisces, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	1.61 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>White Spirit (8052-41-3)</b>	
Partition coefficient n-octanol/water (Log Pow)	-3.16 – 7.06
Bioaccumulative potential	Not bioaccumulative. Not established.
<b>Benzaldehyde (100-52-7)</b>	
BCF - Other aquatic organisms [1]	4.2 – 7.8 (Literature study, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	1.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>1-Butoxy-2-Propanol (5131-66-8)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>Ethanol (64-17-5)</b>	
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>12.4. Mobility in soil</b>	
<b>Triethanolamine (102-71-6)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.06 – 1.27 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>Methyl 2-Aminobenzoate (134-20-3)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.7 (log Koc, QSAR)
<b>Diethanolamine (111-42-2)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.98 – 1 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>Benzyl Alcohol (100-51-6)</b>	
Surface tension	39 mN/m (20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.122 – 1.332 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Highly mobile in soil.
<b>Benzyl Acetate (140-11-4)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.4 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for adsorption in soil.
<b>Vanillin (121-33-5)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.
<b>Diethyl Phthalate (84-66-2)</b>	
Surface tension	37.5 mN/m (20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.34 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for adsorption in soil.
<b>Diphenyl Oxide (101-84-8)</b>	
Surface tension	39 mN/m (25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.3 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.
<b>4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)</b>	
Surface tension	44 mN/m
<b>Phenylacetaldehyde (122-78-1)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.31 – 1.49 (log Koc, SRC PCKOCWIN v2.0, Estimated value)
Ecology - soil	Highly mobile in soil.
<b>Acetophenone (98-86-2)</b>	
Surface tension	39.04 mN/m (25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.34 – 1.98 (log Koc, Equivalent or similar to OECD 106, Experimental value)
Ecology - soil	Highly mobile in soil.
<b>White Spirit (8052-41-3)</b>	
Surface tension	20 mN/m (20 °C)

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Benzaldehyde (100-52-7)</b>	
Surface tension	70.5 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.75 (log Koc)
Ecology - soil	Highly mobile in soil.
<b>1-Butoxy-2-Propanol (5131-66-8)</b>	
Surface tension	57600 mN/m (20 °C, 100 vol %)
Ecology - soil	No straightforward conclusion can be drawn based upon the available numerical values.
<b>Ethanol (64-17-5)</b>	
Surface tension	22.31 mN/m (20 °C, 100 %)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.2 (log Koc, Experimental value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Effect on global warming : No known effects from this product.

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Container under pressure. Do not drill or burn even after use. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

US DOT (ground) (DOT) : UN1950 Aerosols (Non-flammable, (each not exceeding 1 L capacity)), 2.2, Limited Quantity  
UN-No.(DOT) : UN1950  
Proper Shipping Name (DOT) : Aerosols  
Non-flammable, (each not exceeding 1 L capacity)  
Class (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115  
Hazard labels (DOT) : LTD QTY - Limited quantity



DOT Packaging Non Bulk (49 CFR 173.xxx) : None  
DOT Packaging Bulk (49 CFR 173.xxx) : None  
DOT Packaging Exceptions (49 CFR 173.xxx) : 306  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 75 kg  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 150 kg  
DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.  
DOT Vessel Stowage Other : 48 - Stow "away from" sources of heat, 87 - Stow "separated from" Class 1 (explosives) except Division 14, 126 - Segregation same as for Class 9, miscellaneous hazardous materials  
Other information : No supplementary information available.

#### Transport by sea

UN-No. (IMDG) : 1950  
Class (IMDG) : 2.2 - Non-flammable, non-toxic gases

#### Air transport

UN-No. (IATA) : 1950  
Proper Shipping Name (IATA) : Aerosols  
Class (IATA) : 2.2 - Gases : Non-flammable, non-toxic  
Hazard labels (IATA) : LTD QTY - Limited Quantity



### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard Immediate (acute) health hazard Sudden release of pressure hazard
-------------------------------------	---

##### Petroleum Gases, Liquefied, Sweetened (68476-86-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Fire hazard Sudden release of pressure hazard

##### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
---

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Triethanolamine (102-71-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Methyl 2-Aminobenzoate (134-20-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Diethanolamine (111-42-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb
SARA Section 313 - Emission Reporting	1 %
<b>Linalol (78-70-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Benzyl Alcohol (100-51-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Benzyl Acetate (140-11-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Alpha-Terpineol (98-55-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Vanillin (121-33-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Coumarin (91-64-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Diethyl Phthalate (84-66-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CERCLA RQ	1000 lb
<b>Cedarwood Oil, Virginia (8000-27-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Cinnamon Oils (8015-91-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Diphenyl Oxide (101-84-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Phenylacetaldehyde (122-78-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Acetophenone (98-86-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
EPA TSCA Regulatory Flag	TP - TP - indicates a substance that is the subject of a proposed TSCA section 4 test rule.
CERCLA RQ	5000 lb
SARA Section 313 - Emission Reporting	1 %
<b>White Spirit (8052-41-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Benzaldehyde (100-52-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>1-Butoxy-2-Propanol (5131-66-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Ethanol (64-17-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. International regulations

#### CANADA

<b>JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.</b>	
WHMIS Classification	Class A - Compressed Gas



# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Petroleum Gases, Liquefied, Sweetened (68476-86-8)

Listed on the Canadian DSL (Domestic Substances List)

### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

### Triethanolamine (102-71-6)

Listed on the Canadian DSL (Domestic Substances List)

### Methyl 2-Aminobenzoate (134-20-3)

Listed on the Canadian DSL (Domestic Substances List)

### Diethanolamine (111-42-2)

Listed on the Canadian DSL (Domestic Substances List)

### Linalol (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

### Benzyl Alcohol (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

### Benzyl Acetate (140-11-4)

Listed on the Canadian DSL (Domestic Substances List)

### Alpha-Terpineol (98-55-5)

Listed on the Canadian DSL (Domestic Substances List)

### Vanillin (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

### Coumarin (91-64-5)

Listed on the Canadian DSL (Domestic Substances List)

### Diethyl Phthalate (84-66-2)

Listed on the Canadian DSL (Domestic Substances List)

### Cedarwood Oil, Virginia (8000-27-9)

Listed on the Canadian DSL (Domestic Substances List)

### Cinnamon Oils (8015-91-6)

Listed on the Canadian DSL (Domestic Substances List)

### Diphenyl Oxide (101-84-8)

Listed on the Canadian DSL (Domestic Substances List)

### 4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)

Listed on the Canadian DSL (Domestic Substances List)

### Phenylacetaldehyde (122-78-1)

Listed on the Canadian DSL (Domestic Substances List)

### Acetophenone (98-86-2)

Listed on the Canadian DSL (Domestic Substances List)

### White Spirit (8052-41-3)

Listed on the Canadian DSL (Domestic Substances List)

### Benzaldehyde (100-52-7)

Listed on the Canadian DSL (Domestic Substances List)

### 1-Butoxy-2-Propanol (5131-66-8)

Listed on the Canadian DSL (Domestic Substances List)

### Ethanol (64-17-5)

## EU-Regulations

### Water (7732-18-5)

### Triethanolamine (102-71-6)

### Methyl 2-Aminobenzoate (134-20-3)

### Diethanolamine (111-42-2)

### Linalol (78-70-6)

### Benzyl Alcohol (100-51-6)

### Benzyl Acetate (140-11-4)

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alpha-Terpineol (98-55-5)
Vanillin (121-33-5)
Coumarin (91-64-5)
Diethyl Phthalate (84-66-2)
Cedarwood Oil, Virginia (8000-27-9)
Cinnamon Oils (8015-91-6)
Diphenyl Oxide (101-84-8)
4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)
Phenylacetaldehyde (122-78-1)
Acetophenone (98-86-2)
White Spirit (8052-41-3)
Benzaldehyde (100-52-7)
1-Butoxy-2-Propanol (5131-66-8)
Ethanol (64-17-5)

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

#### 15.2.2. National regulations

Water (7732-18-5)
Triethanolamine (102-71-6)
Methyl 2-Aminobenzoate (134-20-3)
Diethanolamine (111-42-2) Listed on IARC (International Agency for Research on Cancer) Listed on EPA Hazardous Air Pollutant (HAPS)
Linalol (78-70-6)
Benzyl Alcohol (100-51-6)
Benzyl Acetate (140-11-4)
Alpha-Terpineol (98-55-5)
Vanillin (121-33-5)
Coumarin (91-64-5)
Diethyl Phthalate (84-66-2)
Cedarwood Oil, Virginia (8000-27-9)
Cinnamon Oils (8015-91-6)
Diphenyl Oxide (101-84-8)
4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)
Phenylacetaldehyde (122-78-1)
Acetophenone (98-86-2) Listed on EPA Hazardous Air Pollutant (HAPS)
White Spirit (8052-41-3)
Benzaldehyde (100-52-7)
1-Butoxy-2-Propanol (5131-66-8)
Ethanol (64-17-5) Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### 15.3. US State regulations

<b>JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.()</b>	
U.S. - California - Proposition 65 - Carcinogens List	No

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.()</b>				
U.S. - California - Proposition 65 - Developmental Toxicity		No		
U.S. - California - Proposition 65 - Reproductive Toxicity - Female		No		
U.S. - California - Proposition 65 - Reproductive Toxicity - Male		No		
State or local regulations		U.S. - California - Proposition 65		
<b>Petroleum Gases, Liquefied, Sweetened (68476-86-8)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Water (7732-18-5)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Triethanolamine (102-71-6)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Methyl 2-Aminobenzoate (134-20-3)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Diethanolamine (111-42-2)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	
<b>Linalol (78-70-6)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Benzyl Alcohol (100-51-6)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Benzyl Acetate (140-11-4)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Alpha-Terpineol (98-55-5)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Vanillin (121-33-5)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Coumarin (91-64-5)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Diethyl Phthalate (84-66-2)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Cedarwood Oil, Virginia (8000-27-9)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Cinnamon Oils (8015-91-6)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Diphenyl Oxide (101-84-8)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>4'-Tert-Butyl-2',6'-Dimethyl-3',5'-Dinitroacetophenone (81-14-1)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Phenylacetaldehyde (122-78-1)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Acetophenone (98-86-2)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Acetophenone (98-86-2)</b>				
No	No	No	No	
<b>White Spirit (8052-41-3)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Benzaldehyde (100-52-7)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>1-Butoxy-2-Propanol (5131-66-8)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>DETERIC LP</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
<b>Ethanol (64-17-5)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	No	No	
<b>Triethanolamine (102-71-6)</b>				
<b>State or local regulations</b>				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				
<b>Diethanolamine (111-42-2)</b>				
<b>State or local regulations</b>				
U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New York City - Right to Know Hazardous Substances List U.S. - Pennsylvania - RTK (Right to Know) List				
<b>Benzyl Alcohol (100-51-6)</b>				
<b>State or local regulations</b>				
U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List				
<b>Benzyl Acetate (140-11-4)</b>				
<b>State or local regulations</b>				
U.S. - New Jersey - Right to Know Hazardous Substance List				
<b>Diethyl Phthalate (84-66-2)</b>				
<b>State or local regulations</b>				
U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List				

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Diethyl Phthalate (84-66-2)

U.S. – New York City – Right to Know Hazardous Substances List  
U.S. - Pennsylvania - RTK (Right to Know) List

### Diphenyl Oxide (101-84-8)

#### State or local regulations

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations  
U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. – New York City – Right to Know Hazardous Substances List  
U.S. - Pennsylvania - RTK (Right to Know) List

### Acetophenone (98-86-2)

#### State or local regulations

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities  
U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. – New York City – Right to Know Hazardous Substances List  
U.S. - Pennsylvania - RTK (Right to Know) List

### White Spirit (8052-41-3)

#### State or local regulations

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations  
U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. – New York City – Right to Know Hazardous Substances List  
U.S. - Pennsylvania - RTK (Right to Know) List

### Benzaldehyde (100-52-7)

#### State or local regulations

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. – New York City – Right to Know Hazardous Substances List  
U.S. - Pennsylvania - RTK (Right to Know) List

### Ethanol (64-17-5)

#### State or local regulations

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. – New York City – Right to Know Hazardous Substances List  
U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Other information : None.

Full text of H-phrases:

H220	Extremely flammable gas
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H280	Contains gas under pressure; may explode if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H340	May cause genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure


NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

# JET STREAM AVIATION PLEXIGLASS CLEANER PLEXI-CLEAR 19 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.
- NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



### Hazard Rating

- Health : 1 Slight Hazard - Irritation or minor reversible injury possible
- Flammability : 1 Slight Hazard
- Physical : 1 Slight Hazard
- Personal protection : B

*Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.*